

NETPRO 100 BT

77811900



Scan this QR code and see the full range



[Link to the product page](#)

SPD surge protector, Ethernet, Cat. 5e, 1 pole (socket) of 4x2 wires, I/O RJ45 (Female) / RJ45 (Female), 5 V.

Technical Data	Value	Units
Commercial data		
Code	77811900	
Part Number	NETPRO 100 BT	
Status	Available	
EAN	8435297811824	
Tariff code (HS)	8536.30.90	
Packaging height	80	[mm]
Packaging width	45	[mm]
Packaging length	105	[mm]
Packaging weight	149	[gr]
Packaging unit	1	
Technical features		
Format	Aerial	
No. protected pairs	4	
For protection of networks	Cat. 5e	
Product standards	IEC 61643-21	
Certifications	CE	
Nominal voltage AC 50-60 Hz (L1/L2-PE)	Un (L1/L2-PE)	5 [V]
Maximum continuous operating voltage (L1/L2-PE)	Uc (L1/L2-PE)	6 [V]
Nominal discharge current (8/20) (L1/L2-PE)	In (L1/L2-PE)	0,25 [kA]
Voltage protection level (L1-L2-PE) at In	Up (L1/L2-PE)	35 [V]
Bandwidth	fg	100 [MHz]
Category	Cat. 5e	
Input connector	RJ45 (Female)	

Output connector		RJ45 (Female)
Nominal current AC 50-60 Hz	IN	0,1 [A]
Connection		Series
Housing color		Black
Enclosure		IP 20
Temperature range		-40 °C ... +60 °C
Product height		44 [mm]
Product width		82 [mm]
Product length		30 [mm]
Product weight		132 [gr]

More information

More about the product range on page...

40

... of this catalogue


CPT-Cirprotec-V-OVERVOLTAGE-AND-SURGE-PROTECTION [4.05
MB]

Specification data

Unspecified

Wiring diagrams

Dimensions



Wiring diagram



Address

Barcelona

Cirprotec, S.L.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

Legal Notice