


NETPRO CG-24P (CAT. 6)

77811935

Scan this QR code and see
the full range



[Link to the product page](#)

SPD surge protector, Ethernet, Cat 6, rack of 24 poles (sockets) de 4x2 wires, I/O crimp terminal / rj45 (female), 5 V.

Technical Data	Value	Units
Commercial data		
Code	77811935	
Part Number	NETPRO CG-24P (CAT. 6)	
Status	Available	
EAN	8435297809821	
Tariff code (HS)	8536.30.90	
Packaging height	50	[mm]
Packaging width	125	[mm]
Packaging length	495	[mm]
Packaging weight	2519	[gr]
Packaging unit	1	
Technical features		
Format	Rack	
No. protected pairs	4x24	
For protection of networks	Cat 6	
Product standards	IEC 61643-21	
Certifications	CE	
Nominal voltage AC 50-60 Hz (L1/L2-PE)	Un (L1/L2-PE)	5 [V]
Maximum continuous operating voltage (L1/L2-PE)	Uc (L1/L2-PE)	6 [V]
Nominal discharge current (8/20) (L1/L2-PE)	In (L1/L2-PE)	0,25 [kA]
Voltage protection level (L1-L2-PE) at In	Up (L1/L2-PE)	35 [V]
Bandwidth	fg	250 [MHz]
Category	Cat. 6	
Input connector	Crimp terminal	
Output connector	RJ45 (Female)	

Nominal current AC 50-60 Hz	IN	0,1	[A]
Connection		Parallel	
Housing color		Black	
Enclosure		IP 20	
Temperature range		-40 °C ... +60 °C	
Product height		44	[mm]
Product width		483	[mm]
Product length		116,5	[mm]
Product weight		2422	[gr]

More information

More about the product range on page...

40

... of this catalogue


CPT-Cirprotec-V-OVERVOLTAGE-AND-SURGE-PROTECTION [4.05
MB]

Specification data


Unspecified

Wiring diagrams

Dimensions



Wiring diagram



Address

Barcelona

Cirprotec, S.L.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)