

DIN-ADSL

77840115



Scan this QR code and see the full range



[Link to the product page](#)

SPD Surge protection device, ADSL telephony, 1 pair, DIN rail format, terminal, 10 kA (8/20), 200 V.

Technical Data

Value | Units

Commercial data

Code	77840115	
Part Number	DIN-ADSL	
Status	Available	
EAN	8435297812005	
Tariff code (HS)	8536.30.90	
Packaging height	80	[mm]
Packaging width	23	[mm]
Packaging length	105	[mm]
Packaging weight	69	[gr]
Packaging unit	1	

Technical features

No. DIN rail modules		1	
Format		DIN	
No. protected pairs		1	
For protection of networks		ADSL	
Product standards		IEC 61643-21	
Certifications		CE	
Nominal voltage AC 50-60 Hz (L1/L2-PE)	Un (L1/L2-PE)	50	[V]
Nominal voltage AC 50-60 Hz (L1-L2)	Un (L1-L2)	50	[V]
Maximum continuous operating voltage (L1/L2-PE)	Uc (L1/L2-PE)	180	[V]
Maximum discharge current (8/20) (L1/L2-PE)	I _{max} (L1/L2-PE)	10	[kA]

Nominal discharge current (8/20) (L1/L2-PE)	In (L1/L2-PE)	5	[kA]
Voltage protection level (L1-L2-PE) at In	Up (L1/L2-PE)	200	[V]
Bandwidth	fg	3	[MHz]
Input connector		Terminal	
Output connector		Terminal	
Nominal current AC 50-60 Hz	IN	0,1	[A]
Connection		Series	
Insulating material & flammability class		PC; V-0	
Housing color		Grey RAL 7035	
Enclosure		IP 20	
Temperature range		-40 °C ... +60 °C	
Product height		90	[mm]
Product width		17,5	[mm]
Product length		69	[mm]
Product weight		57	[gr]

Wiring of connection circuit

Max. flexible conductor section		2,5	[mm ²]
---------------------------------	--	------------	--------------------

More information

More about the product range on page...		40	
---	--	-----------	--

... of this catalogue

CPT-Cirprotec-V-OVERVOLTAGE-AND-SURGE-PROTECTION [4.05 MB]



Specification data

Unspecified

Wiring diagrams

Dimensions

Wiring diagram



Address



Barcelona

Cirprotec, S.L.

C/ Lepanto, 49
08223 - Terrassa (Barcelona)
Tel. +34 937 331 684
Fax. +34 93 733 27 64
www.cirprotec.com

Copyright © Cirprotec, S.L.

Legal Notice