

DIN 48V-2C

77840920



[Link to the product page](#)

SPD Surge protection device, DeviceNet | PTC, 1 pair, I/O terminal / terminal, DIN rail format, 10 kA (8/20), 48 V.

Technical Data	Value	Units
Commercial data		
Code	77840920	
Part Number	DIN 48V-2C	
Status	Available	
EAN	8435297812166	
Tariff code (HS)	8536.30.90	
Packaging height	80	[mm]
Packaging width	23	[mm]
Packaging length	105	[mm]
Packaging weight	69	[gr]
Packaging unit	1	
Technical features		
No. DIN rail modules	1	
Format	DIN	
No. protected pairs	1	
Product standards	IEC 61643-21	
Certifications	CE	
Nominal voltage AC 50-60 Hz (L1/L2-PE)	Un (L1/L2-PE)	48 [V]
Maximum continuous operating voltage (L1/L2-PE)	Uc (L1/L2-PE)	56 [V]
Maximum discharge current (8/20) (L1/L2-PE)	Imax (L1/L2-PE)	10 [kA]
Nominal discharge current (8/20) (L1/L2-PE)	In (L1/L2-PE)	5 [kA]
Voltage protection level (L1-L2-PE) at In	Up (L1/L2-PE)	70 [V]

Bandwidth	fg	5	[MHz]
Input connector		Terminal	
Output connector		Terminal	
Nominal current AC 50-60 Hz	IN	0,1	[A]
Housing color		Grey RAL 7035	
Temperature range		-20 °C ... +60 °C	
Product height		90	[mm]
Product width		17,5	[mm]
Product length		70	[mm]
Product weight		57	[gr]

Wiring of connection circuit

Torque		0,5	[Nm]
Max. flexible conductor section		2,5	[mm ²]

More information

More about the product range on page...		41	
---	--	----	--

... of this catalogue


CPT-Cirprotec-V-OVERVOLTAGE-AND-SURGE-PROTECTION [4.05 MB]

Specification data

Unspecified


Wiring diagrams


Internal configuration



Wiring diagram

Wiring diagram





Address



Barcelona

Cirprotec, S.L.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

Legal Notice