

DB25-12V/25HS

77820140



SPD Surge protection device, RS 232, 23+GND wires, I/O sub-d / sub-d, 0,5 kA (8/20), 12 V.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data

Value | Units

Commercial data

| | |
|------------------|---------------|
| Code | 77820140 |
| Part Number | DB25-12V/25HS |
| Status | Available |
| EAN | 8435297811848 |
| Tariff code (HS) | 8536.30.10 |

Dimensions

| | | |
|------------------|------|------|
| Packaging height | 30 | [mm] |
| Packaging width | 60 | [mm] |
| Packaging length | 75 | [mm] |
| Packaging weight | 61 | [gr] |
| Packaging unit | 1 | |
| Product height | 17 | [mm] |
| Product width | 62,5 | [mm] |
| Product length | 55 | [mm] |
| Product weight | 53 | [gr] |

General data

| | |
|----------------|---------------|
| Format | Sub-D 25 (MF) |
| Certifications | CE |
| Housing color | Black |
| Enclosure | IP 20 |

Technical features

| | |
|---------------------|--------|
| No. protected wires | 23+GND |
|---------------------|--------|

| For protection of networks | | Communication signals | |
|---|-----------------------------|-----------------------|-------|
| Product standards | | IEC 61643-21 | |
| Nominal voltage AC 50-60 Hz (L1/L2-PE) | Un (L1/L2-PE) | 12 | [V] |
| Maximum continuous operating voltage (L1/L2-PE) | Uc (L1/L2-PE) | 16 | [V] |
| Maximum discharge current (8/20) (L1/L2-PE) | I _{max} (L1/L2-PE) | 0,5 | [kA] |
| Nominal discharge current (8/20) (L1/L2-PE) | I _n (L1/L2-PE) | 0,5 | [kA] |
| Voltage protection level (L1-L2-PE) at I _n | U _p (L1/L2-PE) | 100 (L-PE) 25 (L-GND) | [V] |
| Bandwidth | fg | 2 | [MHz] |
| Input connector | | Sub-D | |
| Output connector | | Sub-D | |
| Connection | | Series | |

Certifications


Value | Units

Certifications

CE

Wiring diagrams

Internal configuration



Downloads

Data sheet

[CPT-FT-PROTECCION-CONTRA-SOBRETENSIONES-DB25-12V-25HS-77820140.pdf](#)

Address



Barcelona

Cirprotec, S.L.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)